

```
title: MDF showcase document
subtitle: With a subtitle
date: %a %d %B, %Y
author: Jane Smith
        Joe Smith
style: Sapphire TextSoftBlack
```

## # Header 1

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Cras rutrum at turpis in commodo. Proin nec risus ac urna semper ultrices id ut libero. Quisque nec vulputate elit, id mollis nulla. Donec eleifend blandit felis ex.

## ## Header 2

Vestibulum tincidunt mi sed sem placerat, sodales faucibus lorem hendrerit. Nunc et orci magna. Donec molestie blandit egestas. Integer volutpat nunc venenatis orci bibendum. Nunc commodo **tempus lorem** sed sodales.

## ### Header 3

Praesent varius porta justo id placerat. Duis vehicula, dolor nec venenatis interdum, erat felis condimentum nunc, a aliquam mi nunc sed **metus**. Vestibulum eget neque ligula. Duis eget urna ac eros cursus et ac justo.

## #### Header 4

Pellentesque nisl massa, maximus sed arcu vel, pharetra ultrices metus. Sed faucibus vel neque et tempus. In rhoncus vehicula lacinia. Nunc scelerisque neque eget feugiat facilisis. Duis et porttitor sem.

0123456789 % & # @ â é ñ ç ð ß µ œ ø α β γ δ ε π σ ω Ω « » ¢ \$ € £

---

--- (three dashes) make a ruler, like above.

Force a line break ↴  
by ending a line in two spaces.

Force a page break with <pagebreak />

## Inline formatting

Rendered	Code
<b>bold</b>	<code>**bold**</code>
<i>italic</i>	<code>_italic_</code>
<del>strikethrough</del>	<code>&lt;s&gt;strikethrough&lt;/s&gt;</code>
<code>verbatim</code>	<code>`verbatim`</code>
<sup>super</sup> script	<code>&lt;sup&gt;super&lt;/sup&gt;script</code>
<sub>sub</sub> script	<code>&lt;sub&gt;sub&lt;/sub&gt;script</code>
literal *	<code>literal \*</code>
<a href="https://example.com/">https://example.com/</a>	<code>&lt;https://example.com/&gt;</code>
<a href="#">Named Link</a>	<code>[Named Link](https://example.com/)</code>

## Block Formatting

### Unordered Lists

- Make a list by starting each line with a dash and a space,
- Or an asterisk,
- Or a plus.
  - Indent at least three more spaces to make a sublist.
    - And again.

```
- Make a list by starting each line with a dash and a space,  
* Or an asterisk,  
+ Or a plus.  
  - Indent at least three more spaces to make a sublist.  
    - And again.
```

## Ordered Lists

2. Ordered lists with starting number.

3. Next items are automatic.

```
2. Ordered lists with starting number.  
2. Next items are automatic.
```

## Checklists

This needs doing.

This is done!

Yeah need to work on this...

```
- [ ] This needs doing.  
- [x] This is done!  
- [ ] Yeah need to work on this...
```

## Quote Blocks

He said.

She said.

```
> He said.  
>  
> > She said.
```

## Code Blocks

```
```  
def uwc(line):  
    words = line.split()  
    unique = set(words)  
    return len(unique)  
```
```

## Images



```
![Caption.]({image.png}{width=5cm})
```

## Tables

Right	Left	Center	Default
12	12	12	12
123	123	123	123
1	1	1	1

Right	Left	Center	Default
---	---	---	-----
12	12	12	12
123	123	123	123
1	1	1	1